| | Type | L # | Hits | Search Text | DBs |
|---|------|-----|-------|----------------|--|
| 1 | BRS | L1 | 20150 | tdm | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 2 | BRS | L2 | 7505 | 1 and stream | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 3 | BRS | L3 | 321 | 2 and contexts | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 4 | BRS | L4 | 215 | 3 and buffers | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 5 | BRS | L5 | 143 | 4 and priority | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|------------|------|----------------------|--|
| 6 | BRS | L6 | 107 | 5 and empty | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 7 | BRS | L 7 | 107 | 6 and sequence | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 8 | BRS | L8 | 92 | 7 and mapping | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 9 | BRS | L9 | 1 | 8 and refill | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 10 | IS&R | L10 | 0 | ("9andrequests").PN. | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|-----|------|----------------|---|
| 11 | BRS | L11 | 0 | 8 and requestd | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 12 | BRS | L12 | 62 | 8 and requests | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |
| 13 | BRS | L13 | 61 | 12 and serial | US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B |